

Docket No.: 275190US0PCT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION: Yoshimasa ANDO, et al.

SERIAL NO.: 10/542,110

GAU: 1764

FILED: July 13, 2005

EXAMINER: MANOHARAN, Virginia

FOR: SUPPORT BEAM FOR EASILY POLYMERIZABLE SUBSTANCE TREATMENT
DEVICE AND EASILY POLY-MERIZABLE SUBSTANCE TREATMENT DEVICE

LETTER SUBMITTING ANNOTATED AND REPLACEMENT DRAWING SHEET(S)

COMMISSIONER FOR PATENTS
Alexandria, VA 22313

SIR:

Responsive to the below indicated communication, the following drawing sheets are submitted herewith:

☒ 2 Replacement Drawing Sheets ☐ _____ New Drawing Sheets

☒ 2 Annotated Drawing Sheets

☒ Official Action dated August 21, 2008

☐ Notice of Allowance/Issue Fee dated _____


☐ Other dated _____

The changes and/or modifications made include the following:

The attached Annotated Drawing Sheets for Figs. 6 denotes a deletion of reference character 14 and corrected to read as "21". Annotated sheets for Figs. 7 & 8 indicate the addition of "Prior Art" added to the drawings. The Replacement Drawing Sheets for Figs. 6, 7 & 8 have been corrected and are submitted herewith in order to replace the drawings filed in the original application.

Respectfully Submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.
Norman F. Oblon



Marina I. Miller
Registration No. 59,091

Customer Number

22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 10/08)

Jay E. Rowe, Jr.
Registration No. 58, 948